Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11068	(journal\$4 same access\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:45
L2	23691	(journal\$4 same data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:20
L3	2697	(journal\$4 same access\$4) and (journal\$4 same data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:20
L4	52	(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:51
L5		(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device) and (sensor with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:24
L6	36	(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device) and (network with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:25
L7		(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device) and (network with interface) and definition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:25
L8	14	(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device) and (network with interface) and definition\$1 and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:28
L9	4	(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device) and (network with interface) and definition\$1 and variable and manipulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:28

5/12/07 4:58:24 PM Page 1

L10	18	(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device) and (network with interface) and manipulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:30
L11	· 21	(journal\$4 same access\$4) and (journal\$4 same data) and (kernel with device) and manipulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:34
L12		(journal\$4 with data) and (kernel with device) and manipulat\$5 and (variable with definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/05/12 14:34
L13	64	(journal\$4 with data) and manipulat\$5 and (variable with definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:38
L14	6	(journal\$4 with data) and manipulat\$5 and (variable with definition\$1) and kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:37
L15 .	1757768	(journal\$4 with data) and manipulat\$5 and (variable with definition\$1) sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:37
L16	13	(journal\$4 with data) and manipulat\$5 and (variable with definition\$1) and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/05/12 13:37
L17	43091	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:39
L18		13 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:39
L19	. 8	sensor with interface with kernel with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:56

5/12/07 4:58:24 PM Page 2

L20	3	journal\$4 with interface with kernel with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 13:56
L21	4	journal\$4 with interface with kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/12 13:56
L22	. 1	network with memory with processor with instruction\$1 with journal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:25
L23	8	network with memory with processor with journal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:26
L24	. 2	network with memory with processor with journal\$4 with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:29
L25	3	kernel with processor with journal\$4 with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:30
L26		kernel with journal\$4 with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:31
L27	329066	sensor and configurat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:31
L28	1006	1 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:32
L29	64	28 and privilege	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/12 14:33

5/12/07 4:58:24 PM

L30	3	29 and (variable with definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:37
L31	· 54	29 and variable and definition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:34
L32	54	31 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:35
L33	54	32 and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:35
L34	54	33 and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:35
L35	54	34 and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:35
L36	54	35 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:36
L37	. 3	29 and (variable with definition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/12 14:37
L38	54	36 and monitoring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:38
L39	. 5	38 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:50

L40	131	(journal\$4 same access\$4 same sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:45
L41	. 0	(journal\$4 same access\$4 same sensor same privilege)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:46
L42	3	(journal\$4 same access\$4 same sensor) and privilege	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/12 14:46
L43	74	(journal\$4 same access\$4 same sensor) and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:46
L44	42	(journal\$4 same access\$4 same sensor) and interface and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:47
L45	42	(journal\$4 same access\$4 same sensor) and interface and variable and (updat\$3 or modif\$4 or chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:48
L46	27	(journal\$4 same access\$4 same sensor) and interface and variable and (updat\$3 or modif\$4 or chang\$4) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:50
L47	· <b>3</b>	46 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:50
L48	<b>42</b> ,	(journal\$4 same access\$4 same sensor) and interface and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:51
L49	. 105	"6108782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:51

5/12/07 4:58:24 PM

1.50		HC100702H	LIC DCDLID.	OD	ON	2007/05/12 14.54
L50	2	"6108782".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:54
L51	2	"6085243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/12 14:57
L52	. 2	"6085243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:55
L53	2	"6009274".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:58
L54	. 2	"5922044".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 14:58
L55	2	"5991885".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:08
L56	1	"20070028139".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:10
L57	2	"6324654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:10
L58		"6442706", pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:13
L59	1	58 and kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:14

			,	,		
L60	1	59 and journal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:14
L61	0	60 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:14
L62	0	60 and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:14
L63		60 and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/12 15:14
L64	1	63 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:15
L65	_ <b>1</b>	64 and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:15
L66	<b>1</b>	65 and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:15
L67	. 1	·66 and device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:15
L68	1	67 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:15
L69	. 0	68 and manipulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:16

			т.			
L70		68 and monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:16
L71	0	70 and privilege	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:17
L72	0	70 and restricted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:17
L73	1,	70 and (application or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:17
L74	. 1	73 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:18
L75		74 and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:18
L76	0	74 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/12 15:18
L77	1	74 and definition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:18
L78		77 and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:18
L79	. 1	77 and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:19

L80	1	79 and operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:19
L81	1	80 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:20
L82	· <b>1</b>	81 and field\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:20
L83	.**	82 and (updat\$4 or modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:20
L84	. 1	83 and timestamp\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:21
L85	0	84 and record\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:21
L86	0	84 and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:21
L87	. 0	84 and document\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:21
L88	. 1	84 and file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:21
L89	1	88 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 15:22

			· · · · · · · · · · · · · · · · · · ·			
L90	.:· .:·	89 and pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 16:49
L91	1	58 and pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 16:49
L92	20	kernel with device with (journal\$5 or (log\$4 near2 record\$1) or "daṭastore" or "data store" or "data-store")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 16:55
L93	17	kernel with device with (journal\$5 or (log\$4 near2 record\$1) or "datastore" or "data store" or "data-store") and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 16:54
L94	. 3	kernel with device with (journal\$5 or (log\$4 near2 record\$1) or "datastore" or "data store" or "data-store") and interface and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 16:53
L95		kernel with device with (journal\$5 or (log\$4 near2 record\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 16:56
L96	1	(implement\$4 with (network with driver)) same journal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/12 16:57

5/12/07 4:58:24 PM Page 10